State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-4-173

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

NAVISTAR INTERNATIONAL TRANSPORTATION CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following 1995 model-year Navistar International Transportation Corporation diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

Engine Family	Engine	Displacement	Exhaust Emission Control
	<u>Liters</u>	(Cubic Inches)	Systems and Special Features
SNV444C8D0SA	7.3	(444)	Turbocharger Charge Air Cooler Engine Control Module

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

Carbon <u>Hydrocarbons</u> <u>Monoxide</u>		Nitrogen <u>Oxides</u>	<u>Particulates</u>
1.3	15.5	5.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

Engine <u>Family</u>	<u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Particulates</u>
SNV444C8DOSA	0.6	1.4	4.9	0.08

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 29 day of March, 1995.

Liviu

R. B. Summerfield
Assistant Division Chief
Mobile Source Division

Revisions: _

17^{01.10},pp6 *3/16/95

E	, ς	١.	#	<u> A</u> -	4-	1	7	3	

/17.D1-16 T444HT

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL-STANDARD ENGINES

Page <u>1</u> of <u>1</u>

					_
avistar Inte	rnational Tra	nsportation	Corp. Engine I		444HT) 44CBDOSA
7.3	Li	ters	444 /	Cub	ic Inches
Power: 2	30 HP @	2300	RPM Engine	Configurat	ion: <u>V-8</u>
pression X	Ca	mpression wi	th Glow Plug		park
Dedicated	Flex-Fuel_	Dual-Fue	l Diesel_X	M100	M85
CNGLN	GLPG	Other (specify)		
el: 13 CCR	2282	40 CFR 86.1	313-90	40 CFR 86.1	313-94 <u>X</u>
ed Service C	lass: LHD <u>X</u>		HHD_	_ Url	an Bua
ncl. MFI TC,	CAC):	ECM TO	CAC	71030 EVED	
	(Use apprevia	cions per aas	UISSU BEFS.	
Rated HP @ RPM	@ Rated HP	& Injector	ECM/PCM Part No.	Valve	PTOX / Catalytic Converter Part No.
230 @ 2300					
210 @ 2300	75.5(77.5)	Same	Same		i i
	7.3 Power:2 pression _X Dedicated CNG LN el: 13 CCR ed Service Concl. MFI TC, Rated HP @ RPM 230 @ 2300	7.3	7.3	Tower: 230	Note